

Hampton Steel Limited

## UK MANUFACTURER OF VINE TRELLIS AND PERIMETER SOLUTIONS FOR VINEYARDS





# VINELOK<sup>™</sup>- STRONG, DURABLE AND SIMPLE TO INSTALL

Hampton Steel are proud to introduce the Vinelok<sup>™</sup> vine trellis system which combines the strength and versatility of Hampton's own patented and award winning Versalok<sup>®</sup> post with Hampton's new Vinelok<sup>™</sup> clip. Together these offer the vineyard professional a system which is easy to install and use throughout the growing season.

The Vinelok<sup>\*\*</sup> clip can be positioned at any point along the Versalok<sup>®</sup> post and can easily be removed and replaced as the vine grows. The trellis wire is easily connected, disconnected and reconnected to the clip even when the clip is fixed to the post and no wire threading is required. When used in combination with Gripple<sup>®</sup> wire joining and tensioning products the vineyard professional has a truly flexible and easy to use vineyard trellis system. Hampton's Versalok<sup>®</sup> post and stainless steel Vinelok<sup>™</sup> Clip are guaranteed for 30 years and when used with Class A zinc and aluminium coated steel wire the user has a long-lasting system.

# VINELOK<sup>™</sup> PARTS LIST

FEAT	IDEC
FEAL	UKES

- Strong
  - Long lasting
- Easy to use
- Versatile
- No wire threading required

### ACCESSORIES

Vinelok<sup>™</sup> integrates easily with Gripple<sup>®</sup> and other joining and tensioning products to provide a complete vine trellis system.





Item	Description
Posts	
End Post	Versalok® 2.9m long / 2.5mm
Intermediate Post	Versalok® 2.5m long / 1.5 mm
Hampton Post Protector	For driving in posts
Hampton Post Caps	
For anchoring	
GPAK 4 Plus M (3 metre)	Wire rope and accessories
Apex 4 with 1.5 metre wire rope tendon	Ground anchor, driven in by Gripple <sup>®</sup> anchor driving tool
<b>Or alternatively</b> Apex 4 with 1.5 metre fibre tendon	Ground anchor, driven in by Gripple® anchor driving tool
For fruiting wire	
Hampton Vinelok™ Clip	For retaining the fruiting wire
2.5mm diameter standard tensile Zinc/ Aluminium coated wire	Fruiting wire
Gripple® GP no1	Wire joining product. Tensioned with Gripple® tensioning tool
Or alternatively Raddisseurs	For holding and tensioning the fruiting wire
For trellising wire	
Hampton Vinelok™ Clip	For retaining the trellising wire
2.5mm diameter high tensile Zinc/Aluminium coated wire	Trellising wire
BS4 centre drills and Self-drilling / Tapping screws	To attach Vit - S to post
Gripple® Vit - S	Attached to anchor post and used to tension trellising wire with Gripple® tool
Or alternatively Hampton ring clip	To secure chain hanger
Hampton chain hanger	For connecting chains
Chains	To connect the wire to the hanger and add or remove tension to/from

CALL: +44 (0)1933 234070 | EMAIL: sales@hamptonsteel.co.uk

### www.hamptonsteel.co.uk

the trellising wires









#### Hampton's fencing systems are trusted by fencing professionals across the UK and overseas.

Hampton's product range features Sentinel<sup>®</sup>, Rylock<sup>®</sup> Green and Rylock<sup>®</sup> One hinge joint fencing, the superior Hampton NET<sup>™</sup> and Hampton NET<sup>™</sup> Green fixed knot fencing, chain link fencing, barbed wire, line wires, staples and the award-winning Strainerlok<sup>®</sup>, box and angle strainers, and Versalok<sup>®</sup> intermediate metal post and clip system. 100% recyclable and incredibly durable, Versalok<sup>®</sup> is produced from high yield steel with a zinc, aluminium and magnesium coating and is compatible with all woven wire mesh patterns.

### PERIMETER FENCING SYSTEMS FOR ALL ENVIRONMENTS







CALL: +44 (0)1933 234070 | EMAIL: sales@hamptonsteel.co.uk | www.hamptonsteel.co.uk 34-42 Sanders Road, Finedon Road Industrial Estate, Wellingborough, Northamptonshire NN8 4NL United Kingdom